

## HYDRAULIC, ELECTRIC & MANUAL CUTTERS

The solutions provider for your industrial cutting needs





▼ Shown from left to right: WHC-4000, WHC-750



- Single-acting, spring return on all models, except WHR-1250
- · Guillotine action for smooth cutting operation
- · Lifting handles on larger models for easy transport
- Carrying bag included for easy carrying and tool protection
- Ideal for use with most Enerpac pumps featuring 3-way valve or dump valve and 700 bar pressure rating (except WHR-1250, which requires 4-way valve)
- CR-400 coupler and dust cap included on all models.

#### WHC, WHR, STC Series

Capacity:

3 - 20 ton

**Cutting Capacity:** 

ø 13 - 101 mm

Maximum Operating Pressure:

700 bar



#### **Tool-Pump Sets**

Cutterheads marked with an \* are available as sets (pump, tool, gauge,

couplers and hose) for your ordering convenience.

Cutterhead Model Nr.	Pump Model Nr.	Set Model Number *
WHC-750	P-392	STC-750H
WHC-750	P-392FP	STC-750FP
WHC-750	PATG-1102N	STC-750A
WHC-1250	P-392	STC-1250H
WHC-1250	P-392FP	STC-1250FP
WHC-1250	PATG-1102N	STC-1250A

 $\mathbf{H} = \text{Hand Pump}, \mathbf{FP} = \text{Foot Pump}, \mathbf{A} = \text{Air Pump}$ 



Steel rope is easily cut with the smooth guillotine action of an Enerpac cutterhead.

### ▼ Selection Chart Maximum Cutting Capacities (ø in mm)

maximum outling output too (5 in min)																	
Cutter Head	Capa- city	Model Number	Oil Capa-	Length	Steel Wire	Round Bar			Wire Strand			Cable		Ā	Replace- ment		
Operation			city		Rope, Hemp- core or IWRC	Copper Wire or Bar	Alumi- nium Wire or Bar	Soft Steel Bolts	Rein- forcing Bar	Bare Copper Wire Strands	Bare Alumi- nium Wire Strands	ACSR	Guy Steel Wire Strands	Tele- phone Cable CPP	Under- ground Cable (Power)		Blades
	ton		(cm <sup>3</sup> )	(mm)	6x19						6x7		1x19			(kg)	
Single- Acting	4	WHC-750*	19,7	127	16	19	19	19	13	19	19	19	16	☆	☆	3,2	WCB-750
	20	WHC-1250*	134,4	279	31	31	31	31	25	31	31	31	22	☆	☆	11,3	WCB-1250
	13	WHC-2000	119,6	381	25	31	31	22	☆	50	50	50	19	$\stackrel{\wedge}{\simeq}$	$\swarrow$	10,4	WCB-2000
	3	WHC-3380	65,5	482	☆	☆	☆	☆	☆	76	76	☆	☆	85	85	9,1	WCB-3380
	8	WHC-4000	137,7	609	☆	☆	☆	☆	☆	89	89	☆	☆	101	101	14,5	WCB-4000
DblAct.	20	WHR-1250	122,9	419	31	31	31	31	25	31	31	31	22	☆	☆	11,8	WCB-1250

<sup>\*</sup> Available in sets with P-392 Hand Pump, P-392FP Foot Pump or PATG-1102N Turbo Air Pump.

<sup>☆</sup> Will not cut designated material.







# THE RIGHT TOOL MAKES ALL THE DIFFERENCE

Enerpac Cutters are part of a wide range of specialized tools designed to provide quick, safe and cost-effective solutions in construction, mining, manufacturing and many other industries. This range of tools includes a wide variety of solutions from hydraulic punches, wedges and benders to associated pumps. Enerpac's highly experienced engineering team can also provide customized solutions. Enerpac is your partner for mission-critical specialty tools and solutions.

**ELITE TOOLS. FOR ELITE PROFESSIONALS.** 



**Nut Cutters** 



LG-Series, Lock-Grip Pullers



SP-Series, Hydraulic Punches



STB-Series, Pipe Benders



LW-Series, Lifting Wedges



Hydraulic Pumps



www.enerpac.com